

Notice of Allowability	Application No.	Applicant(s)	
	09/889,171	PTUCEK ET AL	
	Examiner	Art Unit	
	Michael Butler	3653	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 1/5/2005.
2. ☒ The allowed claim(s) is/are 23-37.
3. ☐ The drawings filed on 11 July 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.
5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
 - (a) ☐ The translation of the foreign language provisional application has been received.
6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No. _____.
 - (b) ☐ including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner.
 - (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|---|
| 1 <input type="checkbox"/> Notice of References Cited (PTO-892) | 5 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2 <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____. |
| 3 <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. _____ | 7 <input type="checkbox"/> Examiner's Amendment/Comment |
| 4 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9 <input type="checkbox"/> Other |

DETAILED ACTION

Priority

1. Applicant's claim of priority as a national stage 371 application of application of PCT/SE00/00043 filed 1/13/00 which claims priority to application 9900123-2 filed 1/15/99 in Sweden is acknowledged.

Allowable Subject Matter

2. Claims 23-37 are allowed.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. The following is an examiner's statement of reasons for allowance: The prior art does not disclose: An apparatus for robot calibration comprising a first robot part movably attached to a second robot part having a sensor, a target with sharp height transitions on a first robot part, a second part, moving the two robot parts relative one another, sensing at least two sharp height transitions at walls or sides calculating position by calculating center-point from adjacent sensed height transitions calculating with a sensor reading from a non-contact in which the the target on a robot part wherein the target comprises: a groove with walls, nor the does target comprises an elevation change with vertical sides, nor sharp height changes with a shoulder.

Of particular interest is Kobayashi which discloses An apparatus for robot calibration comprising a first robot part movably attached to a second robot part having a sensor, a target with sharp height transitions on a first robot part, a second part, moving the two robot parts

relative one another, sensing at least two sharp height transitions at walls or sides calculating position by calculating center-point from adjacent sensed height transitions calculating with a sensor reading from a non-contact sensor but a robot imaging system having a substrate, the substrate bearing a target, wherein the target sits on a first robot part. However Kobayashi does not disclose the target on a robot part wherein the target comprises: a groove with walls, nor the does target comprises an elevation change with vertical sides, nor sharp height changes with a shoulder.

Drawings

5. The drawings are acceptable.

Conclusion


6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Exmr. Michael E. Butler whose telephone number is (703) 308-8344.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Donald Walsh, can be reached on (703) 306-4173. The fax number for the Group is (703) 305-7687.

Michael E. Butler

Michael E. Butler

Examiner


DONALD P. WALSH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3630